

The material in this document accompanies a manuscript submitted for publication.

This document may be cited as:

Klee, T. & Gavin, W.J. (2010). *LARSP reference data for 2- and 3-year-old children*.  
Christchurch, NZ: University of Canterbury Research Repository.

Contact author:

Thomas Klee  
Department of Communication Disorders and  
New Zealand Institute of Language, Brain & Behaviour  
University of Canterbury  
Private Bag 4800  
Christchurch 8140  
New Zealand

Email: [thomas.klee@canterbury.ac.nz](mailto:thomas.klee@canterbury.ac.nz)

## Appendix 1

*Frequency of constructions per 100 'major' utterances (mean, standard deviation and 95% confidence interval) for each age group*

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
<i>Section A</i>								
Unintelligible	26.49 (12.29) [21.72 – 31.25]	33.02 (7.56) [29.26 – 36.78]	25.17 (8.38) [19.54 – 30.80]	19.96 (11.11) [15.38 – 24.55]	14.77 (7.49) [11.45 – 18.09]	16.87 (10.59) [11.00 – 22.73]	13.64 (8.73) [9.44 – 17.85]	20.27 (12.29) [13.18 – 27.36]
Symbolic noise	1.48 (2.56) [0.49 – 2.48]	1.28 (1.43) [0.57 – 2.00]	1.36 (1.43) [0.40 – 2.32]	1.41 (2.14) [0.52 – 2.29]	2.06 (5.08) [-0.20 – 4.31]	1.64 (2.10) [0.47 – 2.80]	1.33 (2.13) [0.30 – 2.36]	1.63 (0.97) [1.07 – 2.19]
Deviant	0.05 (0.18) [-0.02 – 0.11]	0	0.07 (0.16) [-0.04 – 0.18]	0.05 (0.13) [-0.01 – 0.10]	0.03 (0.13) [-0.03 – 0.08]	0.05 (0.14) [-0.02 – 0.13]	0	0
Incomplete	2.01 (1.83) [1.30 – 2.72]	2.26 (1.38) [1.57 – 2.94]	2.84 (2.11) [1.43 – 4.26]	3.33 (2.03) [2.49 – 4.17]	4.00 (1.99) [3.12 – 4.89]	4.88 (3.52) [2.93 – 6.83]	3.14 (1.67) [2.33 – 3.94]	3.96 (1.79) [2.92 – 4.99]
Ambiguous	0.09 (0.21) [0.01 – 0.17]	0.13 (0.36) [-0.04 – 0.31]	0.36 (0.63) [-0.06 – 0.79]	0.17 (0.55) [-0.05 – 0.40]	0.14 (0.23) [0.04 – 0.25]	0.26 (0.30) [0.09 – 0.43]	0.08 (0.26) [-0.04 – 0.21]	0.20 (0.44) [-0.06 – 0.46]
Stereotypes	1.32 (2.18) [0.47 – 2.16]	1.23 (1.58) [0.45 – 2.02]	1.72 (1.81) [0.50 – 2.93]	1.56 (1.77) [0.83 – 2.29]	1.00 (1.08) [0.52 – 1.48]	1.31 (1.22) [0.64 – 1.99]	1.82 (2.11) [0.80 – 2.83]	2.14 (1.75) [1.13 – 3.14]
<i>Stage I</i>								
Responses	15.99 (10.09) [12.07 – 19.90]	21.85 (10.02) [16.86 – 26.84]	22.04 (10.34) [15.10 – 28.99]	20.90 (8.36) [17.45 – 24.34]	21.70 (8.08) [18.12 – 25.28]	21.66 (7.26) [17.64 – 25.68]	21.00 (6.13) [18.05 – 23.96]	18.51 (7.22) [14.35 – 22.68]
Vocatives	3.86 (4.09) [2.28 – 5.45]	3.21 (3.03) [1.70 – 4.71]	4.24 (4.81) [1.02 – 7.48]	4.21 (5.35) [2.00 – 6.42]	3.70 (4.22) [1.82 – 5.57]	1.61 (1.10) [1.00 – 2.22]	2.20 (2.82) [0.84 – 3.56]	3.74 (2.53) [2.28 – 5.20]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
Minor Other	14.75 (10.76) [10.58 – 18.92]	11.35 (5.59) [8.57 – 14.13]	9.88 (6.56) [5.48 – 14.29]	8.90 (6.58) [6.19 – 11.62]	8.43 (3.56) [6.85 – 10.00]	9.21 (5.80) [6.00 – 12.42]	10.46 (5.93) [7.60 – 13.32]	10.54 (4.86) [7.73 – 13.35]
Minor Problems	0	0	0	0	0	0	0	0
‘V’ command	2.22 (3.18) [0.98 – 3.45]	1.47 (1.79) [0.57 – 2.36]	0.76 (1.00) [0.09 – 1.44]	1.35 (1.44) [0.76 – 1.94]	1.81 (1.79) [1.02 – 2.60]	1.58 (2.03) [0.46 – 2.70]	1.24 (1.54) [0.50 – 1.98]	1.24 (1.26) [0.51 – 1.96]
‘Q’	1.00 (1.56) [0.39 – 1.60]	2.45 (3.55) [0.68 – 4.22]	2.20 (4.12) [-0.57 – 4.97]	3.27 (5.84) [0.86 – 5.68]	1.70 (3.38) [0.20 – 3.20]	3.76 (4.34) [1.36 – 6.16]	1.53 (1.08) [1.01 – 2.05]	3.69 (2.97) [1.97 – 5.40]
‘V’ statement	2.65 (3.23) [1.40 – 3.90]	2.59 (3.58) [0.81 – 4.37]	2.19 (2.80) [0.31 – 4.07]	1.59 (1.34) [1.03 – 2.14]	0.78 (0.89) [0.39 – 1.18]	0.79 (1.01) [0.24 – 1.35]	0.95 (1.45) [0.25 – 1.65]	1.56 (1.44) [0.74 – 2.39]
‘N’	25.68 (24.38) [16.23 – 35.13]	15.44 (10.86) [10.04 – 20.84]	10.21 (5.94) [6.22 – 14.20]	6.20 (4.13) [4.50 – 7.91]	5.90 (6.12) [3.19 – 8.61]	8.25 (5.06) [5.45 – 11.05]	7.11 (4.92) [4.74 – 9.48]	8.78 (5.79) [5.44 – 12.12]
Major Other	10.56 (6.04) [8.21 – 12.90]	10.13 (9.34) [5.48 – 14.77]	5.38 (2.53) [3.68 – 7.08]	6.34 (5.03) [4.26 – 8.42]	5.30 (5.44) [2.88 – 7.71]	6.27 (2.90) [4.66 – 7.88]	5.18 (4.41) [3.06 – 7.30]	4.41 (2.70) [2.85 – 5.96]
Major Problems	0	0	0	0	0	0	0	0
<i>Clause</i>								
VX	3.02 (2.92) [1.89 – 4.15]	3.59 (3.64) [1.78 – 5.40]	3.57 (3.28) [1.37 – 5.78]	3.70 (4.03) [2.04 – 5.37]	2.70 (1.83) [1.89 – 3.51]	1.83 (2.34) [0.54 – 3.13]	2.88 (2.56) [1.65 – 4.11]	3.84 (3.44) [1.86 – 5.83]
QX	0.59 (0.81) [0.28 – 0.91]	1.36 (2.63) [0.05 – 2.66]	0.96 (1.14) [0.20 – 1.73]	0.66 (0.75) [0.35 – 0.97]	0.73 (1.58) [0.03 – 1.43]	0.82 (1.18) [0.17 – 1.47]	0.16 (0.35) [0.00 – 0.33]	1.14 (1.70) [0.16 – 2.13]
SV	3.32 (2.36) [2.40 – 4.23]	3.91 (2.60) [2.62 – 5.20]	6.84 (4.58) [3.77 – 9.92]	7.01 (3.70) [5.49 – 8.54]	9.64 (6.03) [6.96 – 12.31]	8.39 (5.09) [5.57 – 11.20]	7.34 (3.83) [5.49 – 9.18]	9.21 (4.22) [6.77 – 11.65]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
SO	0.19 (0.89) [-0.16 – 0.54]	0.74 (2.78) [-0.64 – 2.12]	0	0	0.18 (0.68) [-0.12 – 0.48]	0	0.07 (0.21) [-0.03 – 0.17]	0
SC	1.88 (3.50) [0.52 – 3.24]	3.32 (3.21) [1.73 – 4.92]	1.76 (2.38) [0.16 – 3.35]	1.48 (2.11) [0.61 – 2.35]	1.24 (1.36) [0.64 – 1.85]	0.72 (1.04) [0.14 – 1.30]	0.62 (1.14) [0.07 – 1.16]	0.77 (0.75) [0.34 – 1.20]
Neg X	0.19 (0.49) [0.00 – 0.38]	0.42 (0.70) [0.07 – 0.76]	0	0.16 (0.43) [-0.02 – 0.34]	0.06 (0.20) [-0.03 – 0.15]	0.15 (0.44) [-0.09 – 0.40]	0.08 (0.24) [-0.04 – 0.20]	0.05 (0.19) [-0.06 – 0.16]
AX	3.03 (3.39) [1.72 – 4.34]	5.30 (4.07) [3.28 – 7.32]	4.07 (1.56) [3.03 – 5.12]	3.51 (2.45) [2.50 – 4.52]	2.22 (1.66) [1.49 – 2.96]	3.27 (2.15) [2.08 – 4.46]	2.34 (1.89) [1.43 – 2.22]	2.66 (1.94) [1.54 – 3.78]
VO	2.72 (2.54) [1.73 – 3.70]	3.08 (2.95) [1.62 – 4.55]	5.02 (3.40) [2.73 – 7.30]	3.77 (3.43) [2.36 – 5.19]	3.06 (2.38) [2.01 – 4.12]	2.93 (2.60) [1.49 – 4.37]	2.30 (1.52) [1.57 – 3.04]	2.45 (1.55) [1.55 – 3.35]
VC	0.24 (0.93) [-0.12 – 0.60]	0.07 (0.20) [-0.03 – 0.16]	0.14 (0.31) [-0.07 – 0.34]	0.06 (0.20) [-0.03 – 0.14]	0.17 (0.38) [0.00 – 0.34]	0.22 (0.59) [-0.11 – 0.55]	0.08 (0.27) [-0.05 – 0.22]	0.13 (0.35) [-0.07 – 0.33]
IIC-Other	0.10 (0.31) [-0.02 – 0.22]	0.03 (0.12) [-0.03 – 0.09]	0.20 (0.45) [-0.10 – 0.50]	0.13 (0.40) [-0.04 – 0.29]	0.03 (0.13) [-0.03 – 0.08]	0	0.08 (0.27) [-0.05 – 0.22]	0.19 (0.31) [0.01 – 0.36]
VXY	1.10 (2.08) [0.29 – 1.90]	0.54 (0.78) [0.15 – 0.93]	1.26 (1.59) [0.19 – 2.34]	1.44 (1.51) [0.82 – 2.07]	1.19 (1.38) [0.58 – 1.80]	0.31 (0.52) [0.02 – 0.60]	1.52 (2.01) [0.55 – 2.48]	0.81 (0.62) [0.46 – 1.17]
let XY	0.12 (0.30) [0.01 – 0.24]	0.04 (0.16) [-0.04 – 0.12]	0.27 (0.54) [-0.09 – 0.64]	0.26 (0.65) [-0.01 – 0.53]	0.47 (0.76) [0.14 – 0.81]	0.21 (0.37) [0.01 – 0.42]	0.44 (1.18) [-0.13 – 1.01]	0.44 (0.68) [0.04 – 0.83]
do XY	0	0	0	0	0	0	0.05 (0.23) [-0.06 – 0.16]	0.09 (0.32) [-0.10 – 0.27]
QXY	0.38 (0.70) [0.11 – 0.65]	0.85 (1.17) [0.27 – 1.43]	0.49 (0.97) [-0.16 – 1.14]	1.01 (1.34) [0.46 – 1.57]	0.98 (1.33) [0.39 – 1.57]	0.58 (0.73) [0.18 – 0.98]	0.57 (0.94) [0.12 – 1.03]	0.46 (0.80) [0.00 – 0.92]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
VS(X)	0.72 (1.12) [0.29 – 1.16]	0.62 (0.89) [0.17 – 1.06]	1.07 (2.27) [-0.45 – 2.60]	2.34 (2.72) [1.22 – 3.46]	2.55 (2.63) [1.38 – 3.72]	2.10 (2.07) [0.96 – 3.24]	3.01 (2.75) [1.69 – 4.33]	2.94 (2.61) [1.43 – 4.44]
SVC	5.71 (6.81) [3.07 – 8.35]	4.42 (3.63) [2.61 – 6.22]	7.28 (6.36) [3.01 – 11.55]	9.51 (5.67) [7.17 – 11.85]	8.64 (5.14) [6.36 – 10.91]	9.59 (3.82) [7.47 – 11.71]	9.92 (5.46) [7.29 – 12.54]	8.13 (5.78) [4.79 – 11.47]
SVO	7.04 (6.42) [4.55 – 9.52]	7.04 (5.26) [4.42 – 9.65]	11.87 (5.15) [8.41 – 15.33]	9.72 (4.24) [7.97 – 11.47]	13.08 (6.43) [10.23 – 15.93]	11.79 (4.92) [9.07 – 14.52]	12.83 (4.89) [10.47 – 15.19]	11.84 (2.63) [10.32 – 13.36]
SVA	3.93 (4.63) [2.14 – 5.73]	7.04 (7.54) [3.29 – 10.79]	5.46 (3.17) [3.33 – 7.60]	10.06 (5.95) [7.61 – 12.52]	10.98 (6.71) [8.00 – 13.95]	9.22 (4.32) [6.83 – 11.61]	12.98 (6.96) [9.63 – 16.34]	9.80 (6.95) [5.79 – 13.81]
Neg XY	0	0.19 (0.57) [-0.09 – 0.48]	0.06 (0.18) [-0.07 – 0.18]	0.10 (0.28) [-0.01 – 0.21]	0	0	0.07 (0.23) [-0.04 – 0.18]	0.13 (0.35) [-0.07 – 0.33]
VCA	0	0	0.06 (0.21) [-0.08 – 0.20]	0.07 (0.25) [-0.03 – 0.18]	0.03 (0.13) [-0.03 – 0.08]	0.15 (0.33) [-0.03 – 0.33]	0	0
VOA	0.75 (1.00) [0.36 – 1.14]	0.83 (1.70) [-0.02 – 1.67]	1.29 (1.05) [0.59 – 1.99]	1.24 (1.51) [0.62 – 1.87]	0.88 (1.10) [0.39 – 1.37]	1.59 (1.23) [0.91 – 2.27]	1.18 (1.04) [0.68 – 1.69]	1.54 (2.54) [0.07 – 3.01]
VO <sub>d</sub> O <sub>i</sub>	0	0.12 (0.36) [-0.06 – 0.30]	0	0.14 (0.50) [-0.07 – 0.35]	0	0.05 (0.21) [-0.06 – 0.17]	0.03 (0.14) [-0.04 – 0.10]	0.09 (0.32) [-0.10 – 0.27]
IIIC-Other	0.23 (0.55) [0.02 – 0.45]	0.82 (1.03) [0.31 – 1.33]	0.33 (0.48) [0.00 – 0.65]	1.14 (1.27) [0.62 – 1.67]	0.61 (0.74) [0.28 – 0.94]	0.55 (1.01) [-0.01 – 1.12]	0.63 (0.71) [0.29 – 0.97]	0.73 (0.62) [0.37 – 1.08]
+S	0.09 (0.28) [-0.02 – 0.20]	0.59 (1.38) [-0.09 – 1.28]	0.06 (0.18) [-0.07 – 0.18]	0.28 (0.61) [0.02 – 0.53]	0.22 (0.52) [-0.01 – 0.45]	0.19 (0.42) [-0.04 – 0.43]	0.41 (0.86) [0.00 – 0.82]	0.26 (0.63) [-0.11 – 0.62]
VXY+	0.03 (0.15) [-0.03 – 0.09]	0.17 (0.41) [-0.03 – 0.38]	0.20 (0.45) [-0.10 – 0.50]	0.12 (0.35) [-0.03 – 0.27]	0.06 (0.20) [-0.03 – 0.15]	0.22 (0.51) [-0.06 – 0.50]	0.15 (0.36) [-0.03 – 0.32]	0.09 (0.32) [-0.10 – 0.27]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
QVS	4.68 (7.83) [1.64 – 7.71]	3.47 (6.57) [0.20 – 6.73]	3.16 (3.41) [0.87 – 5.45]	5.10 (4.70) [3.16 – 7.05]	6.15 (6.64) [3.20 – 9.10]	3.54 (2.24) [2.30 – 4.78]	4.26 (4.54) [2.07 – 6.44]	4.78 (3.56) [2.72 – 6.84]
QXY+	0.10 (0.51) [-0.10 – 0.29]	0.13 (0.33) [-0.03 – 0.30]	0	0.27 (0.56) [0.04 – 0.50]	0.42 (0.65) [0.13 – 0.71]	0.14 (0.29) [-0.02 – 0.30]	0.44 (0.84) [0.03 – 0.84]	0.55 (0.52) [0.25 – 0.85]
VS(X+)	0.04 (0.23) [-0.04 – 0.13]	0.14 (0.37) [-0.04 – 0.33]	0.36 (0.97) [-0.30 – 1.00]	0.11 (0.32) [-0.02 – 0.24]	0.46 (0.83) [0.10 – 0.83]	0.20 (0.53) [-0.10 – 0.50]	0.65 (0.87) [0.23 – 1.07]	0.59 (0.70) [0.18 – 0.99]
tag	0	0.03 (0.12) [-0.03 – 0.09]	0	0.02 (0.12) [-0.03 – 0.07]	0.08 (0.29) [-0.05 – 0.20]	0.23 (0.56) [-0.07 – 0.54]	0.17 (0.48) [-0.06 – 0.40]	0.54 (1.62) [-0.40 – 1.48]
SVOA	1.24 (1.70) [0.58 – 1.90]	1.67 (3.27) [0.04 – 3.29]	1.54 (3.13) [-0.56 – 3.65]	2.94 (2.10) [2.08 – 3.81]	4.21 (2.98) [2.89 – 5.53]	4.48 (3.18) [2.72 – 6.24]	4.22 (2.51) [3.01 – 5.43]	4.96 (2.38) [3.58 – 6.33]
SVCA	0.26 (0.61) [0.02 – 0.50]	0.21 (0.41) [0.00 – 0.41]	0.37 (0.83) [-0.19 – 0.93]	0.85 (0.96) [0.45 – 1.24]	1.52 (1.53) [0.84 – 2.20]	1.67 (1.78) [0.68 – 2.65]	1.39 (1.32) [0.75 – 2.03]	0.99 (1.06) [0.38 – 1.61]
SVO <sub>d</sub> O <sub>i</sub>	0.06 (0.22) [-0.03 – 0.14]	0.04 (0.16) [-0.04 – 0.12]	0.36 (0.69) [-0.10 – 0.83]	0.23 (0.57) [-0.01 – 0.46]	0.16 (0.36) [0.00 – 0.32]	0.27 (0.56) [-0.04 – 0.58]	0.52 (0.84) [0.12 – 0.92]	0.36 (0.57) [0.04 – 0.69]
SVOC	0	0	0.08 (0.27) [-0.10 – 0.26]	0.10 (0.31) [-0.02 – 0.23]	0.24 (0.48) [0.03 – 0.46]	0.05 (0.21) [-0.06 – 0.17]	0.06 (0.25) [-0.06 – 0.18]	0.12 (0.45) [-0.14 – 0.38]
AAXY	0.17 (0.53) [-0.03 – 0.38]	0.57 (0.83) [0.16 – 0.99]	0.94 (1.37) [0.03 – 1.86]	1.29 (1.42) [0.70 – 1.87]	1.33 (1.82) [0.53 – 2.14]	1.77 (1.79) [0.78 – 2.76]	2.68 (2.48) [1.48 – 3.88]	2.08 (1.93) [0.96 – 3.19]
IVC-Other	0.31 (0.80) [0.00 – 0.62]	0.26 (0.57) [-0.03 – 0.54]	0.06 (0.18) [-0.07 – 0.18]	0.81 (0.92) [0.43 – 1.19]	0.97 (1.37) [0.37 – 1.58]	0.92 (0.75) [0.50 – 1.34]	1.14 (1.43) [0.45 – 1.83]	1.12 (1.04) [0.52 – 1.72]
Comm. Coord.	0	0	0	0.04 (0.18) [-0.04 – 0.11]	0	0.05 (0.18) [-0.05 – 0.15]	0.03 (0.11) [-0.03 – 0.08]	0.04 (0.16) [-0.05 – 0.14]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
Quest. Coord.	0	0	0	0	0	0.05 (0.18) [-0.05 – 0.15]	0.03 (0.14) [-0.04 – 0.10]	0.23 (0.52) [-0.07 – 0.53]
Coord. 1	0	0.03 (0.12) [-0.03 – 0.09]	0.54 (1.81) [-0.67 – 1.76]	0.30 (0.53) [0.09 – 0.52]	0.63 (0.93) [0.22-1.04]	0.77 (0.80) [0.33 – 1.22]	0.93 (0.99) [0.46 – 1.41]	1.61 (1.74) [0.61 – 2.62]
Coord. 1+	0.09 (0.25) [-0.01 – 0.18]	0	0.20 (0.66) [-0.25 – 0.65]	0	0.57 (1.65) [-0.17 – 1.30]	0.15 (0.32) [-0.02 – 0.33]	0.23 (0.85) [-0.18 – 0.64]	0.13 (0.26) [-0.02 – 0.28]
Comm. Other	0.04 (0.21) [-0.04 – 0.12]	0.10 (0.32) [-0.06 – 0.26]	0.24 (0.81) [-0.30 – 0.79]	0.32 (0.64) [0.06 – 0.59]	0.52 (0.76) [0.19 – 0.86]	0.35 (0.68) [-0.03 – 0.73]	0.67 (0.87) [0.25 – 1.09]	1.00 (1.15) [0.30 – 1.63]
Quest. Other	0.03 (0.15) [-0.03 – 0.09]	0.04 (0.16) [-0.04 – 0.12]	0.24 (0.78) [-0.29 – 0.76]	0.24 (0.45) [0.05 – 0.42]	0.41 (0.90) [0.01 – 0.81]	0	0.50 (0.79) [0.11 – 0.88]	0.31 (.46) [0.04 – 0.57]
Subord. A1	0.09 (0.36) [-0.05 – 0.23]	.13 (0.31) [-0.03 – 0.28]	0.06 (0.18) [-0.07 – 0.18]	0.39 (0.80) [0.06 – 0.72]	0.59 (0.98) [0.16 – 1.02]	0.99 (1.15) [0.36 – 1.63]	1.10 (1.17) [0.54 – 1.66]	1.17 (0.97) [0.61 – 1.73]
Subord. A1+	0	0	0	0	0.04 (0.17) [-0.04 – 0.11]	0	0.03 (0.11) [-0.03 – 0.08]	0
Subord. S	0.06 (0.24) [-0.04 – 0.15]	0	0	0	0.03 (0.13) [-0.03 - .008]	0	0	0.05 (0.19) [-0.06 – 0.16]
Subord. C	0.06 (0.24) [-0.04 – 0.15]	0.09 (0.26) [-0.04 – 0.22]	0.44 (0.88) [-0.16 – 1.03]	0.41 (0.64) [0.14 – 0.67]	0.25 (0.52) [0.02 – 0.49]	0.28 (0.43) [0.04 – 0.52]	0.32 (0.57) [0.05 – 0.59]	0.28 (0.43) [0.03 – 0.53]
Subord. O	0.44 (1.31) [-0.06 – 0.95]	0.07 (0.20) [-0.03 – 0.16]	0.44 (0.54) [0.07 – 0.80]	0.89 (1.26) [0.37 – 1.41]	1.92 (1.59) [1.21 – 2.62]	2.29 (2.69) [0.80 – 3.79]	1.54 (1.43) [0.85 – 2.23]	1.80 (1.58) [0.90 – 2.71]
Comparative	0	0	0	0.14 (0.50) [-0.07 – 0.35]	0.02 (0.11) [-0.02 – 0.07]	0	0.17 (0.54) [-0.09 – 0.43]	0.09 (0.32) [-0.10 – 0.27]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
VS(X)	0.73 (1.12) [0.29 – 1.16]	0.62 (0.90) [0.17 – 1.06]	1.07 (2.27) [-0.45 – 2.60]	2.34 (2.72) [1.22 – 3.46]	2.55 (2.63) [1.38 – 3.72]	2.10 (2.07) [0.96 – 3.24]	3.01 (2.75) [1.69 – 4.33]	2.94 (2.61) [1.43 – 4.44]
<i>Connectivity</i>								
and	1.09 (1.76) [0.40 – 1.77]	0.81 (1.40) [0.12 – 1.51]	2.26 (2.60) [0.52 – 4.01]	2.53 (2.33) [1.56 – 3.49]	4.19 (3.84) [2.49 – 5.89]	4.53 (3.76) [2.45 – 6.61]	5.22 (4.63) [2.99 – 7.45]	4.32 (3.80) [2.12 – 6.52]
c	0.08 (0.23) [-0.01 – 0.17]	0.14 (0.43) [-0.07 – 0.36]	0.17 (0.57) [-0.21 – 0.56]	0.61 (1.18) [0.12 – 1.10]	1.95 (2.12) [1.01 – 2.89]	1.44 (2.06) [0.30 – 2.58]	1.20 (1.49) [0.49 – 1.92]	1.44 (1.88) [0.35 – 2.52]
s	0.36 (1.29) [-0.14 – 0.87]	1.44 (4.10) [-0.60 – 3.48]	1.49 (2.56) [-0.23 – 3.21]	2.51 (2.46) [1.49 – 3.52]	2.93 (2.34) [1.89 – 3.96]	3.31 (2.88) [1.71 – 4.90]	3.45 (3.74) [1.65 – 5.25]	4.84 (3.98) [2.54 – 7.14]
Other	0	0	0	0	0	0	0	0
<i>Phrase</i>								
DN	17.21 (12.79) [12.25 – 22.18]	16.77 (9.15) [12.22 – 21.32]	25.58 (12.13) [17.44 -33.73]	27.06 (6.92) [24.20 – 29.91]	26.34 (7.86) [22.86 – 29.83]	24.81 (8.08) [20.34 – 29.29]	23.23 (7.42) [19.65 – 26.81]	23.90 (7.24) [19.72 – 28.08]
Adj N	2.15 (2.50) [1.18 – 3.12]	2.49 (2.48) [1.25 – 3.72]	2.49 (1.45) [1.52 – 3.47]	1.67 (1.68) [0.97 – 2.36]	1.44 (1.62) [0.72 – 2.16]	2.03 (1.43) [1.24 – 2.82]	1.58 (2.01) [0.62 – 2.55]	1.32 (1.40) [0.51 – 2.13]
NN	1.34 (1.98) [0.57 – 2.11]	1.35 (2.15) [0.28 – 2.42]	0.99 (1.23) [0.16 – 1.82]	0.45 (0.83) [0.11 – 0.79]	0.49 (0.60) [0.22 – 0.76]	1.07 (1.26) [0.38 – 1.77]	0.67 (0.68) [0.34 – 1.00]	0.97 (1.21) [0.27 – 1.67]
Pr N	1.01 (1.82) [0.30 – 1.71]	2.02 (2.27) [0.89 – 3.15]	0.94 (1.00) [0.28 – 1.62]	1.94 (1.96) [1.12 – 2.75]	1.90 (1.94) [1.04 – 2.76]	2.29 (1.75) [1.32 – 3.26]	2.49 (2.03) [1.51 – 3.47]	2.69 (1.83) [1.63 – 3.74]
VV	2.44 (2.69) [1.40 – 3.49]	4.42 (4.83) [2.01 – 6.82]	6.29 (3.76) [3.76 – 8.82]	7.63 (5.19) [5.49 – 9.77]	8.78 (4.70) [6.69 – 10.86]	5.64 (2.66) [4.16 – 7.12]	7.70 (4.89) [5.34 – 10.05]	8.21 (4.23) [5.77- 10.66]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
V part	2.21 (2.58) [1.21 – 3.21]	2.95 (3.29) [1.31 – 4.59]	2.30 (1.83) [1.07 – 3.53]	3.53 (2.51) [2.50 – 4.57]	3.77 (2.70) [2.58 – 4.97]	2.71 (1.40) [1.94 – 3.49]	3.96 (2.74) [2.64 – 5.28]	4.95 (1.72) [3.95 – 5.95]
Int X	0.98 (2.30) [0.09 – 1.88]	1.32 (2.32) [0.17 – 2.48]	2.14 (1.95) [0.82 – 3.45]	2.03 (2.20) [1.12 – 2.94]	2.15 (1.66) [1.4 – 2.89]	1.36 (1.66) [0.44 – 2.28]	2.40 (1.63) [1.62 – 3.19]	1.24 (1.67) [0.27 – 2.20]
IIP: Other	5.87 (5.26) [3.83 – 7.91]	7.19 (4.59) [4.91 – 9.47]	5.98 (3.24) [3.80 – 8.16]	9.12 (5.45) [6.87 – 11.37]	8.94 (3.96) [7.18 – 10.70]	9.49 (4.29) [7.12 – 11.87]	9.32 (4.26) [7.26 – 11.37]	9.54 (4.29) [7.07 – 12.02]
D Adj N	0.70 (0.98) [0.32 – 1.08]	0.29 (0.54) [0.02 – 0.56]	2.31 (3.09) [0.24 – 4.38]	2.20 (2.15) [1.32 – 3.09]	2.69 (2.30) [1.67 – 3.71]	1.81 (1.70) [0.87 – 2.75]	3.15 (3.07) [1.67 – 4.63]	2.71 (1.89) [1.61 – 3.80]
Adj Adj N	0.03 (0.15) [-0.03 – 0.09]	0.11 (0.45) [-0.12 – 0.33]	0.14 (0.33) [-0.07 – 0.36]	0.14 (0.54) [-0.09 – 0.36]	0.15 (0.29) [0.02 – 0.28]	0.05 (0.18) [-0.05 – 0.15]	0.24 (0.72) [-0.11 – 0.59]	0.09 (0.32) [-0.10 0 0.27]
Pr DN	1.96 (3.52) [0.60 – 3.33]	4.18 (4.92) [1.74 – 6.63]	5.36 (3.63) [2.92 – 7.79]	4.90 (4.13) [3.19 – 6.60]	7.06 (5.67) [4.55 – 9.58]	6.49 (2.79) [4.94 – 8.03]	7.52 (4.64) [5.28 – 9.75]	7.90 (4.41) [5.35 – 10.45]
Pron-P	23.20 (15.93) [17.02 – 29.37]	26.67 (14.14) [19.63 – 33.70]	36.53 (11.60) [28.73 – 44.32]	43.43 (14.68) [37.37 – 49.49]	53.03 (13.78) [46.92 – 59.14]	47.03 (10.13) [41.42 – 52.64]	57.90 (11.68) [52.27 – 63.52]	53.55 (10.02) [47.76 – 59.34]
Pron-O	17.44 (13.73) [12.11 – 22.76]	14.18 (9.74) [9.34 – 19.02]	17.50 (7.52) [12.45 – 22.55]	20.26 (8.02) [16.95 – 23.56]	19.49 (6.39) [16.65 – 22.32]	17.96 (5.84) [14.73 – 21.19]	20.28 (7.31) [16.76 – 23.81]	17.19 (7.56) [12.83 – 21.56]
Cop	12.36 (11.74) [7.81 – 16.92]	9.92 (7.31) [6.28 – 13.55]	12.97 (10.43) [5.97 – 19.98]	18.56 (8.16) [15.19 – 21.93]	19.46 (8.89) [15.52 – 23.40]	18.35 (7.53) [14.18 – 22.52]	17.87 (6.15) [14.90 – 20.83]	16.59 (6.76) [12.69 – 20.50]
Aux-M	1.20 (1.93) [0.45 – 1.95]	0.92 (1.42) [0.21 – 1.62]	3.16 (4.05) [0.44 -5.87]	5.50 (4.09) [3.81 – 7.19]	6.84 (3.65) [5.23 – 8.46]	5.73 (4.15) [3.44 – 8.03]	9.81 (4.82) [7.49 – 12.13]	10.40 (6.20) [6.82 – 13.98]
Aux-O	5.05 (4.98) [3.12 – 6.99]	5.55 (6.54) [2.30 – 8.80]	9.01 (6.32) [4.76 – 13.26]	11.24 (6.96) [8.36 – 14.11]	15.08 (7.17) [11.90 – 18.26]	14.70 (7.20) [10.71 – 18.69]	16.00 (5.51) [13.34 – 18.66]	14.88 (4.32) [12.39 – 17.37]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
III <sub>P</sub> : Other	0.91 (1.28) [0.42 – 1.41]	2.24 (2.69) [0.90 – 3.58]	1.82 (1.36) [0.90 – 2.74]	2.46 (1.82) [1.71 – 3.21]	2.52 (1.76) [1.74 – 3.30]	3.08 (2.00) [1.97 – 4.19]	4.19 (2.15) [3.15 – 5.23]	2.43 (1.49) [1.57 – 3.29]
NP Pr NP	0.73 (1.67) [0.08 – 1.38]	0.64 (1.22) [0.04 – 1.25]	0.34 (0.62) [-0.08 – 0.75]	0.78 (1.02) [0.36 – 1.20]	1.25 (1.85) [0.43 – 2.07]	2.11 (1.57) [1.24 – 2.98]	2.30 (2.26) [1.21 – 3.39]	2.16 (1.60) [1.24 – 3.08]
Pr D Adj N	0	0	0.06 (0.21) [-0.08 – 0.20]	0.26 (0.50) [0.05 – 0.46]	0.23 (0.50) [0.01 – 0.45]	0.04 (0.15) [-0.05 – 0.13]	0.21 (0.47) [-0.02 – 0.44]	0.36 (0.59) [0.02 – 0.71]
cX	0.81 (1.32) [0.30 – 1.33]	0.64 (0.80) [0.24 – 1.04]	0.51 (0.72) [0.02 – 0.99]	0.64 (1.10) [0.19 – 1.10]	1.14 (1.56) [0.44 – 1.83]	1.74 (1.27) [1.03 – 2.45]	0.84 (1.02) [0.35 – 1.34]	0.58 (0.88) [0.07 – 1.09]
XcX	0.32 (0.68) [0.05 – 0.58]	0.57 (0.81) [0.16 – 0.97]	0.79 (1.16) [0.01 – 1.57]	1.00 (1.58) [0.34 – 1.65]	0.86 (1.13) [0.36 – 1.37]	1.18 (1.20) [0.52 – 1.84]	1.18 (1.64) [0.39 – 1.97]	1.13 (1.08) [0.51 – 1.75]
Neg V	2.66 (3.53) [1.29 – 4.03]	1.72 (2.16) [0.65 – 2.80]	5.56 (3.21) [3.40 – 7.71]	5.91 (3.66) [4.40 – 7.42]	7.35 (5.39) [4.96 – 9.74]	7.66 (4.47) [5.19 – 10.13]	6.77 (3.45) [5.11 – 8.43]	8.46 (4.91) [5.62 – 11.29]
Neg X	0.39 (0.63) [0.14 – 0.63]	0.25 (0.45) [0.03 – 0.47]	0.52 (0.81) [-0.03 – 1.06]	0.28 (0.55) [0.06 – 0.51]	0.89 (0.93) [0.48 – 1.30]	0.54 (0.65) [0.18 – 0.90]	0.82 (0.86) [0.41 – 1.24]	0.60 (0.97) [0.04 – 1.16]
2 Aux	0	0	0	0.04 (0.18) [-0.04 – 0.11]	0.07 (0.23) [-0.03 – 0.17]	0	0.06 (0.17) [-0.03 – 0.14]	0.04 (0.16) [-0.05 – 0.14]
IVP : Other	0.11 (0.32) [-0.02 – 0.23]	0.25 (0.56) [-0.03 – 0.53]	0.21 (0.53) [-0.14 – 0.56]	0.39 (0.57) [0.15 – 0.62]	0.77 (0.83) [0.40 – 1.14]	0.57 (0.69) [0.19 – 0.95]	0.47 (0.90) [0.04 – 0.91]	0.69 (0.90) [0.17 – 1.21]
Postmod. clause 1	0.02 (0.11) [-0.02 – 0.06]	0.13 (0.39) [-0.06 – 0.33]	0	0.34 (0.69) [0.05 – 0.62]	0.25 (0.41) [0.07 – 0.43]	0.56 (0.68) [0.18 – 0.94]	0.57 (0.82) [0.18 – 0.97]	0.22 (0.39) [0.00 – 0.45]
Postmod. clause 1+	0	0	0.12 (0.39) [-0.14 – 0.38]	0	0.25 (0.41) [0.07 – 0.43]	0	0	0

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
Postmod. phrase 1+	0.09 (0.45) [-0.09 – 0.26]	0	0	0	0.04 (0.17) [-0.04 – 0.11]	0.05 (0.18) [-0.05 – 0.15]	0	0.04 (0.16) [-0.05 – 0.14]
<i>Expansions</i>								
X + S:NP	0.73 (1.03) [0.33 – 1.13]	1.53 (1.43) [0.82 – 2.24]	2.26 (1.35) [1.35 – 3.16]	1.76 (1.29) [1.22 – 2.29]	1.54 (1.51) [0.87 – 2.21]	1.17 (1.62) [0.27 – 2.07]	1.35 (1.40) [0.68 – 2.03]	1.90 (1.75) [0.89 – 2.91]
X + V:VP	3.30 (3.57) [1.92 – 4.68]	3.73 (2.88) [2.30 – 5.16]	6.11 (3.05) [4.06 – 8.16]	6.64 (4.18) [4.91 – 8.37]	7.28 (5.70) [4.75 – 9.80]	6.17 (3.54) [4.21 – 8.13]	6.10 (2.39) [4.95 – 7.26]	7.59 (3.71) [5.45 – 9.74]
X + C:NP	0.63 (1.27) [0.14 – 1.12]	1.42 (1.92) [0.47 – 2.38]	0.98 (1.39) [0.05 – 1.92]	0.60 (1.02) [0.18 – 1.02]	0.92 (1.15) [0.41 – 1.43]	0.38 (0.53) [0.09 – 0.67]	0.35 (0.52) [0.10 – 0.60]	0.54 (0.57) [0.22 – 0.87]
X + O:NP	2.14 (2.43) [1.20 – 3.08]	2.21 (2.91) [0.76 – 3.65]	4.11 (2.02) [2.76 – 5.46]	3.60 (2.71) [2.48 – 4.72]	2.47 (1.44) [1.84 – 3.11]	2.76 (2.16) [1.56 – 3.96]	2.28 (1.83) [1.40 – 3.17]	3.13 (1.14) [2.47 – 3.78]
X + A:AP	1.90 (1.99) [1.13 – 2.68]	3.06 (2.98) [1.58 – 4.54]	2.54 (2.31) [0.99 – 4.10]	2.25 (1.61) [1.59 – 2.92]	1.93 (1.11) [1.44 – 2.42]	2.31 (1.32) [1.58 – 3.04]	2.26 (1.66) [1.46 – 3.06]	2.65 (1.58) [1.74 – 3.56]
XY + S:NP	2.36 (3.06) [1.18 – 3.55]	2.15 (2.48) [0.92 – 3.38]	3.26 (3.28) [1.05 – 5.46]	6.35 (4.45) [4.51 – 8.18]	6.72 (4.21) [4.85 – 8.58]	5.17 (4.19) [2.85 – 7.50]	5.96 (5.06) [3.52 – 8.40]	5.53 (4.84) [2.73 – 8.33]
XY + V:VP	4.43 (5.54) [2.28 – 6.58]	6.11 (6.14) [3.05 – 9.16]	10.14 (7.22) [5.30 – 14.99]	13.34 (6.11) [10.82 – 15.86]	15.21 (6.03) [12.54 – 17.88]	13.19 (5.29) [10.26 – 16.12]	17.69 (5.85) [14.87 – 20.51]	16.04 (4.71) [13.32 – 18.76]
XY + C:NP	3.51 (4.57) [1.74 – 5.29]	2.43 (2.31) [1.28 – 3.58]	4.26 (4.16) [1.46 – 7.06]	6.81 (3.57) [5.34 – 8.28]	5.67 (4.15) [3.83 – 7.51]	6.29 (2.84) [4.72 – 7.87]	6.07 (3.88) [4.20 – 7.94]	5.69 (3.88) [3.45 – 7.93]
XY + O:NP	3.32 (4.43) [1.61 – 5.04]	3.97 (3.32) [2.32 – 5.62]	6.62 (4.59) [3.54 – 9.70]	6.56 (3.78) [5.00 – 8.12]	9.73 (6.36) [6.91 – 12.55]	8.39 (4.64) [5.82 – 10.95]	8.62 (4.17) [6.61 – 10.62]	8.91 (3.04) [7.16 – 10.67]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
XY + A:AP	2.95 (3.92) [1.43 – 4.48]	4.65 (5.57) [1.88 – 7.42]	3.71 (2.62) [1.95 – 5.47]	7.70 (4.35) [5.91 – 9.50]	6.92 (3.87) [5.21 – 8.64]	5.93 (2.72) [4.42-7.43]	8.75 (4.21) [6.72 – 10.77]	7.82 (3.83) [5.61 – 10.03]
<i>Word</i>								
-ing	2.53 (3.92) [1.01 – 4.05]	5.54 (6.39) [2.36 – 8.72]	5.39 (3.60) [2.97 – 7.81]	5.05 (3.99) [3.40 – 6.70]	5.62 (3.78) [3.95 – 7.30]	5.34 (4.01) [3.12 – 7.56]	6.76 (3.91) [4.88 – 8.65]	7.32 (4.05) [4.98 – 9.66]
pl	4.47 (2.56) [3.47 – 5.46]	4.74 (4.56) [2.48 – 7.01]	7.34 (5.07) [3.94 – 10.75]	7.15 (4.07) [5.47 – 8.83]	5.22 (3.04) [3.88 – 6.57]	7.24 (3.48) [5.31 – 9.17]	7.39 (3.09) [5.90 – 8.88]	5.54 (2.58) [4.04 – 7.03]
-ed	1.20 (1.78) [0.51 – 1.89]	1.14 (1.34) [0.47 – 1.81]	2.43 (2.64) [0.66 – 4.20]	2.53 (1.52) [1.90 – 3.16]	3.76 (2.50) [2.65 – 4.87]	2.78 (2.13) [1.60 – 3.96]	4.36 (4.40) [2.24 – 6.49]	4.93 (4.44) [2.36 – 7.49]
-en	1.64 (2.13) [0.81 – 2.46]	2.91 (3.95) [0.95 – 4.88]	3.03 (2.80) [1.15 – 4.91]	2.61 (2.48) [1.59 – 3.64]	2.38 (2.60) [1.23 – 3.53]	2.43 (2.62) [0.98 – 3.88]	2.58 (2.66) [1.30 – 3.86]	2.74 (2.65) [1.21 – 4.28]
3s	15.48 (14.96) [9.68 – 21.28]	10.77 (9.10) [6.24 – 15.29]	14.87 (11.63) [7.06 – 22.69]	26.35 (10.22) [22.13 – 30.56]	25.46 (10.48) [20.82 – 30.11]	24.31 (9.82) [18.87 – 29.75]	24.53 (9.99) [19.71 – 29.35]	20.83 (7.71) [16.38 – 25.28]
gen	0.64 (1.30) [0.14 – 1.14]	0.72 (1.90) [-0.23 – 1.66]	0.44 (0.76) [-0.07 – 0.96]	0.37 (0.79) [0.04 – 0.69]	0.54 (1.08) [0.06 – 1.02]	0.21 (0.48) [-0.06 – 0.47]	0.86 (0.79) [0.48 – 1.24]	0.69 (0.84) [0.20 – 1.17]
n't	2.23 (3.04) [1.05 – 3.41]	1.12 (1.48) [0.39 – 1.86]	4.72 (3.49) [2.37 – 7.06]	4.18 (3.50) [2.74 – 5.63]	6.07 (4.93) [3.89 – 8.26]	6.31 (4.30) [3.92 – 8.69]	5.81 (3.19) [4.27 – 7.35]	6.93 (4.18) [4.52 – 9.34]
'cop	10.60 (10.67) [6.46 – 14.74]	7.59 (7.50) [3.86 – 11.32]	9.51 (7.99) [4.14 – 14.88]	13.11 (6.54) [10.42 – 15.82]	14.46 (7.24) [1.12 – 1.77]	13.36 (6.29) [9.87 – 16.85]	11.38 (5.85) [8.56 – 14.20]	11.19 (5.15) [8.22 – 14.16]
'aux	2.45 (3.31) [1.17 – 3.74]	3.88 (5.38) [1.21 – 6.56]	4.28 (3.44) [1.97 – 6.60]	7.14 (5.21) [4.99 – 9.29]	7.43 (4.74) [5.33-9.53]	6.59 (4.23) [4.25 – 8.94]	9.56 (4.61) [7.34 – 11.78]	8.71 (4.78) [5.96 – 11.47]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
-est	0	0	0	0	0.04 (0.19) [-0.04 - 0.13]	0	0	0.14 (0.51) [-0.16 - 0.43]
-er	0.12 (0.62) [-0.12 - 0.36]	0.19 (0.41) [-0.01 - 0.39]	0	0.19 (0.42) [0.02 - 0.36]	0.14 (0.44) [-0.05 - 0.34]	0	0.17 (0.40) [-0.02 - 0.36]	0.14 (0.37) [-0.08 - 0.36]
-ly	0	0	0	0	0.03 (0.15) [-0.03 - 0.10]	0	0	0
<i>Stage VI (+)</i>								
NP Initiator	0.04 (0.23) [-0.04 - 0.13]	0.04 (0.16) [-0.04 - 0.12]	0.51 (0.79) [-0.02 - 1.04]	0.51 (0.91) [0.13 - 0.88]	0.34 (0.46) [0.13 - 0.54]	0.46 (0.77) [0.03 - 0.89]	0.81 (1.25) [0.21 - 1.41]	0.72 (0.84) [0.23 - 1.21]
NP Coord.	0.08 (0.29) [-0.03 - 0.19]	0.27 (0.59) [-0.02 - 0.57]	0.43 (0.62) [0.01 - 0.84]	0.24 (0.64) [-0.02 - 0.51]	0.23 (0.41) [0.05 - 0.41]	0.35 (0.63) [0.00 - 0.70]	0.67 (0.88) [0.25 - 1.10]	0.31 (0.67) [-0.09 - 0.70]
Complex VP	1.19 (2.02) [0.40 - 1.97]	1.37 (1.87) [0.44 - 2.30]	1.49 (1.54) [0.46 - 2.52]	4.14 (3.04) [2.89 - 5.39]	4.45 (3.63) [2.85 - 6.06]	4.01 (2.42) [2.67 - 5.35]	4.94 (3.23) [3.39 - 6.50]	5.00 (2.36) [3.63 - 6.37]
Passive	0.05 (0.19) [-0.02 - 0.12]	0.03 (0.12) [-0.03 - 0.09]	0.12 (0.39) [-0.14 - 0.38]	0.07 (0.23) [-0.03 - 0.16]	0.06 (0.21) [-0.03 - 0.15]	0.09 (0.25) [-0.04 - 0.23]	0.25 (0.83) [-0.15 - 0.65]	0.31 (0.57) [-0.02 - 0.64]
Complement.	0.03 (0.15) [-0.03 - 0.09]	0.08 (0.33) [-0.09 - 0.24]	0.46 (0.90) [-0.14 - 1.07]	0.37 (0.76) [0.06 - 0.68]	0.39 (0.66) [0.10 - 0.69]	0	0.56 (0.82) [0.16 - 0.95]	0.14 (0.37) [-0.07 - 0.36]
<i>how</i>	0	0	0	0	0	0	0	0
<i>what</i>	0	0	0	0	0.07 (0.32) [-0.07 - 0.21]	0	0	0
Other	0	0	0	0	0	0	0	0

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
<i>Stage VI (-)</i>								
<i>and</i>	0.08 (0.42) [-0.08 – 0.24]	0.21 (0.90) [-0.23 – 0.66]	0.12 (0.39) [-0.14 – 0.38]	0	0.04 (0.19) [-0.04 – 0.13]	0	0.06 (0.25) [-0.06 – 0.18]	0.09 (0.32) [-0.10 – 0.27]
<i>c</i>	0	0	0	0	0	0	0	0
<i>s</i>	0	0.15 (0.64) [-0.02 – 0.47]	0	0.04 (0.18) [-0.04 – 0.11]	0	0.07 (0.26) [-0.08 – 0.21]	0.07 (0.21) [-0.03 – 0.17]	0
Element $\emptyset$	5.43 (9.84) [1.61 – 9.24]	6.44 (10.74) [1.10 – 11.78]	6.62 (6.86) [2.01 – 11.23]	3.60 (4.56) [1.72 – 5.48]	3.05 (3.62) [1.44 – 4.66]	3.27 (2.78) [1.73 – 4.81]	2.84 (3.23) [1.29 – 4.40]	2.13 (3.20) [0.28 – 3.98]
Element $\nabla$	0.19 (0.38) [0.04 – 0.34]	0.18 (0.44) [-0.04 – 0.40]	0.06 (0.18) [-0.07 – 0.18]	0.30 (0.77) [-0.02 – 0.62]	0.36 (0.70) [0.05 – 0.68]	0.20 (0.46) [-0.05 – 0.45]	0.12 (0.24) [0.01 – 0.24]	0
Concord	0.22 (0.69) [-0.04 – 0.49]	0.24 (0.54) [-0.03 – 0.51]	0.46 (0.81) [-0.08 – 1.00]	0.97 (1.14) [0.50 – 1.44]	0.63 (0.70) [0.32 – 0.94]	0.72 (1.19) [0.06 – 1.38]	0.70 (0.83) [0.30 – 1.10]	0.56 (0.75) [0.12 – 0.99]
D	0.38 (0.82) [0.06 – 0.70]	0.19 (0.47) [-0.04 – 0.43]	1.13 (3.33) [-1.11 – 3.36]	0.70 (1.04) [0.27 – 1.13]	0.58 (0.81) [0.22 – 0.94]	0.54 (0.60) [0.21 – 0.87]	0.44 (0.74) [0.09 – 0.80]	0.40 (0.56) [0.07 – 0.73]
D $\emptyset$	2.20 (3.08) [1.00 – 3.39]	3.91 (3.52) [2.16 – 5.66]	3.90 (5.78) [0.01 – 7.79]	1.64 (1.98) [0.82 – 2.46]	1.57 (2.09) [0.64 – 2.49]	1.53 (2.78) [0.35 – 2.71]	1.18 (1.22) [0.59 – 1.77]	0.79 (0.88) [0.28 – 1.29]
D $\nabla$	0.02 (0.13) [-0.03 – 0.08]	0	0	0	0	0	0	0
Pr	0.10 (0.36) [-0.04 – 0.24]	0	0	0.10 (0.26) [-0.01 – 0.21]	0.08 (0.27) [-0.04 – 0.20]	0.30 (0.47) [0.04 – 0.56]	0.10 (0.29) [-0.04 – 0.23]	0.04 (0.16) [-0.05 – 0.14]
Pr $\emptyset$	0.29 (0.80) [-0.02 – 0.60]	0.66 (1.44) [-0.06 – 1.38]	1.30 (1.04) [0.60 – 2.00]	0.46 (0.77) [0.14 – 0.78]	0.24 (0.40) [0.07 – 0.42]	0.53 (0.56) [0.21 – 0.84]	0.17 (0.36) [0.00 – 0.34]	0.31 (0.64) [-0.06 – 0.69]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
Pr ⇌	0	0	0	0	0	0	0	0
Pron-P	0.79 (1.91) [0.05 – 1.54]	2.15 (3.18) [0.57 – 3.73]	0.46 (0.48) [0.14 – 0.78]	1.06 (1.43) [0.47 – 1.65]	0.83 (1.14) [0.33 – 1.33]	0.56 (1.11) [-0.05 – 1.17]	0.45 (0.71) [0.11 – 0.79]	0.43 (0.96) [-0.12 – 0.98]
Aux-M	0	0	0	0	0.10 (0.47) [-0.11 – 0.31]	0	0.03 (0.11) [-0.03 – 0.08]	0
Aux-O	0.02 (0.11) [-0.02 – 0.06]	0.05 (0.21) [-0.06 – 0.16]	0	0.11 (0.31) [-0.02 – 0.24]	0.23 (0.65) [-0.06 – 0.52]	0.13 (0.27) [-0.02 – 0.27]	0.17 (0.61) [-0.12 – 0.46]	0.09 (0.32) [-0.10 – 0.27]
Aux Ø	2.12 (2.26) [1.24 – 3.00]	4.87 (5.23) [2.27 – 7.47]	3.29 (2.95) [1.31 – 5.28]	2.92 (2.62) [1.84 – 4.01]	2.20 (2.38) [1.15 – 3.26]	2.17 (2.24) [0.93 – 3.41]	1.79 (2.07) [0.79 – 2.79]	2.89 (3.08) [1.11 – 4.66]
Cop	2.62 (3.23) [1.37 – 3.88]	5.49 (4.80) [3.10 – 7.88]	3.14 (2.90) [1.20 – 5.10]	2.71 (3.00) [1.47 – 3.95]	1.97 (2.15) [1.02 – 2.92]	1.05 (1.39) [0.28 – 1.82]	1.07 (1.27) [0.45 – 1.68]	1.40 (1.57) [0.49 – 2.31]
N-irreg	0	0.08 (0.23) [-0.04 – 0.19]	0.16 (0.36) [-0.08 – 0.41]	0.02 (0.12) [-0.03 – 0.07]	0.20 (0.42) [0.01 – 0.39]	0	0.04 (0.16) [-0.04 – 0.11]	0
N-reg	0.79 (1.19) [0.33 – 1.25]	0.99 (1.54) [0.02 – 1.76]	0.34 (0.52) [-0.01 – 0.68]	0.58 (1.18) [0.09 – 1.07]	0.11 (0.31) [-0.02 – 0.25]	0.47 (0.73) [0.06 – 0.87]	0.23 (0.41) [0.03 – 0.42]	0.18 (0.29) [0.01 – 0.35]
V-irreg	0.35 (0.55) [0.13 – 0.56]	0.87 (1.89) [-0.07 – 1.81]	0.21 (0.69) [-0.26 – 0.68]	0.48 (1.16) [0.00 – 0.96]	0.41 (0.75) [0.07 – 0.74]	0.34 (0.57) [0.02 – 0.66]	0.52 (0.60) [0.23 – 0.81]	0.49 (0.71) [0.08 – 0.90]
V-reg	1.34 (1.61) [0.72 – 1.97]	1.63 (2.53) [0.37 – 2.89]	1.76 (2.47) [0.10 – 3.42]	1.50 (1.36) [0.93 – 2.06]	0.94 (1.36) [0.34 – 1.55]	1.05 (1.00) [0.50 – 1.60]	0.90 (1.11) [0.36 – 1.43]	0.51 (0.76) [0.07 – 0.94]
Other	0.87 (1.44) [0.31 – 1.43]	0.10 (1.48) [0.31 – 1.78]	1.41 (1.67) [0.29 – 2.53]	1.53 (2.11) [0.66 – 2.40]	1.45 (1.47) [0.80 – 2.10]	1.06 (0.89) [0.57 – 1.55]	1.35 (1.36) [0.69 – 2.00]	0.85 (1.13) [0.20 – 1.50]

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
Ambiguous	0.16 (0.38) [0.01 – 0.31]	0.08 (0.26) [-0.04 – 0.21]	0.39 (0.76) [-0.12 – 0.90]	0.24 (0.49) [0.04 – 0.45]	0.34 (0.60) [0.07 – 0.61]	0.60 (1.19) [-0.06 – 1.26]	0.22 (0.38) [0.04 – 0.40]	0.13 (0.26) [-0.02 – 0.28]
<i>Stage VII</i>								
A Connectivity	0.04 (0.21) [-0.04 – 0.12]	0.64 (2.71) [-0.71 – 1.99]	0.13 (0.42) [-0.16 – 0.41]	0.05 (0.18) [-0.02 – 0.13]	0.06 (0.21) [-0.03 – 0.16]	0	0.16 (0.42) [-0.04 – 0.36]	0
Comment Clause	0	0	0	0	0	0	0	0
Emphatic Order	0	0	0	0.04 (0.18) [-0.04 - .011]	0	0.05 (0.18) [-0.05 – 0.15]	0.03 (0.14) [-0.04 – 0.10]	0.10 (0.26) [-0.05 – 0.25]
<i>it</i>	0	0	0	0	0	0	0.03 (0.14) [-0.04 – 0.10]	0
<i>there</i>	0.64 (1.44) [0.08 – 1.20]	0.43 (1.10) [-0.12 – 0.98]	0.77 (1.45) [-0.20 – 1.75]	0.97 (1.32) [0.42 – 1.52]	0.96 (1.08) [0.49 – 1.44]	0.90 (1.33) [0.16 – 1.64]	1.31 (1.76) [0.46 – 2.15]	0.54 (0.83) [0.06 – 1.02]
Other	0	0	0	0	0	0	0	0.16 (0.61) [-0.19 – 0.52]

## Appendix 2

*Percentage of children producing two or more instances of each construction per 100 'major' utterances*

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
<i>Section A</i>								
Unintelligible	100.0	100.0	100.0	96.0	100.0	100.0	94.7	100.0
Symbolic noise	21.4	22.2	27.3	20.0	13.6	26.7	15.8	50.0
Deviant	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Incomplete	39.3	50.0	54.5	80.0	86.4	93.3	73.7	92.9
Ambiguous	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0
Stereotypes	25.0	16.7	36.4	28.0	13.6	33.3	31.6	42.9
<i>Stage I</i>								
Responses	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Vocatives	64.3	44.4	72.7	60.0	68.2	40.0	31.6	71.4
Minor Other	100.0	100.0	100.0	96.0	100.0	100.0	94.7	100.0
Minor Problems	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
'V' command	35.7	27.8	18.2	24.0	36.4	26.7	26.3	28.6
'Q'	21.4	38.9	36.4	40.0	22.7	40.0	31.6	71.4
'V' statement	42.9	33.3	36.4	28.0	9.1	13.3	15.8	35.7
'N'	92.9	100.0	100.0	88.0	63.6	100.0	100.0	92.9

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
Major Other	92.9	88.9	100.0	92.0	77.3	93.3	78.9	85.7
Major Problems	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Clause</i>								
VX	57.1	66.7	63.6	52.0	59.1	26.7	63.2	71.4
QX	7.1	22.2	18.2	8.0	13.6	20.0	0.0	21.4
SV	67.9	72.2	90.9	100.0	100.0	93.3	100.0	92.9
SO	3.6	5.6	0.0	0.0	4.5	0.0	0.0	0.0
SC	17.9	50.0	36.4	28.0	22.7	13.3	5.3	7.1
Neg X	3.6	5.6	0.0	0.0	0.0	0.0	0.0	0.0
AX	50.0	77.8	90.9	72.0	50.0	66.7	42.1	50.0
VO	53.6	55.6	90.9	80.0	54.5	53.3	57.9	42.9
VC	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IIC-Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VXY	14.3	5.6	36.4	24.0	18.2	0.0	21.1	0.0
let XY	0.0	0.0	0.0	4.0	4.5	0.0	5.3	0.0
do XY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
QXY	3.6	22.2	9.1	12.0	18.2	6.7	10.5	7.1

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
VS(X)	14.3	11.1	9.1	36.0	45.5	33.3	57.9	57.1
SVC	50.0	72.2	72.7	100.0	90.9	93.3	100.0	92.9
SVO	75.0	83.3	100.0	100.0	100.0	100.0	100.0	100.0
SVA	53.6	66.7	81.8	96.0	95.5	93.3	100.0	100.0
Neg XY	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0
VCA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VOA	10.7	16.7	27.3	24.0	9.1	33.3	21.1	21.4
VO <sub>d</sub> O <sub>i</sub>	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0
IIIC-Other	3.6	16.7	0.0	20.0	4.5	13.3	5.3	0.0
+S	0.0	16.7	0.0	4.0	4.5	0.0	5.3	7.1
VXY+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
QVS	60.7	44.4	63.6	76.0	68.2	66.7	68.4	78.6
QXY+	3.6	0.0	0.0	4.0	4.5	0.0	5.3	0.0
VS(X+)	0.0	0.0	9.1	0.0	4.5	0.0	10.5	0.0
tag	0.0	0.0	0.0	0.0	0.0	6.7	5.3	7.1
SVOA	35.7	33.3	18.2	60.0	72.7	80.0	84.2	92.9
SVCA	3.6	0.0	9.1	12.0	27.3	26.7	36.8	21.4
SVO <sub>d</sub> O <sub>i</sub>	0.0	0.0	0.0	4.0	0.0	6.7	10.5	0.0

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
SVOC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AAXY	3.6	11.1	27.3	20.0	18.2	26.7	47.4	50.0
IVC-Other	7.1	5.6	0.0	16.0	9.1	13.3	26.3	21.4
Comm. Coord.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Quest. Coord.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coord. 1	0.0	0.0	9.1	0.0	9.1	13.3	21.1	28.6
Coord. 1+	0.0	0.0	9.1	0.0	9.1	0.0	5.3	0.0
Comm. Other	0.0	0.0	9.1	4.0	4.5	6.7	5.3	21.4
Quest. Other	0.0	0.0	9.1	0.0	9.1	0.0	5.3	0.0
Subord. A1	0.0	0.0	0.0	4.0	9.1	26.7	26.3	7.1
Subord. A1+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Subord. S	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Subord. C	0.0	0.0	9.1	4.0	4.5	0.0	5.3	0.0
Subord. O	3.6	0.0	0.0	16.0	40.9	40.0	42.1	35.7
Comparative	0.0	0.0	0.0	4.0	0.0	0.0	5.3	0.0
<i>Connectivity</i>								
<i>and</i>	17.9	16.7	36.4	40.0	77.3	73.3	73.7	78.6
<i>c</i>	0.0	0.0	0.0	8.0	36.4	26.7	26.3	28.6

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
s	3.6	11.1	27.3	44.0	59.1	66.7	57.9	85.7
Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Phrase</i>								
DN	82.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Adj N	42.9	50.0	81.8	36.0	18.2	46.7	36.8	14.3
NN	28.6	22.2	9.1	4.0	4.5	20.0	5.3	14.3
Pr N	17.9	38.9	9.1	40.0	31.8	46.7	57.9	57.1
VV	46.4	50.0	90.9	96.0	95.5	86.7	94.7	92.9
V part	39.3	44.4	45.5	68.0	72.7	66.7	68.4	100.0
Int X	14.3	16.7	45.5	40.0	50.0	26.7	57.9	7.1
IIP: Other	64.3	83.3	100.0	96.0	100.0	100.0	94.7	100.0
D Adj N	14.3	0.0	36.4	40.0	50.0	33.3	63.2	64.3
Adj Adj N	0.0	0.0	0.0	4.0	0.0	0.0	10.5	0.0
Pr DN	28.6	50.0	72.7	64.0	81.8	86.7	89.5	92.9
Pron-P	89.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Pron-O	92.9	94.4	100.0	100.0	100.0	100.0	100.0	100.0
Cop	71.4	88.9	90.9	100.0	100.0	93.3	100.0	100.0

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
Aux-M	25.0	22.2	36.4	76.0	90.9	80.0	94.7	100.0
Aux-O	64.3	55.6	100.0	96.0	100.0	100.0	100.0	100.0
III <sub>P</sub> : Other	17.9	33.3	36.4	48.0	54.5	60.0	84.2	57.1
NP Pr NP	10.7	11.1	0.0	12.0	13.6	66.7	52.6	42.9
Pr D Adj N	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
cX	7.1	5.6	9.1	16.0	22.7	33.3	15.8	14.3
XcX	7.1	5.6	18.2	20.0	13.6	20.0	26.3	14.3
Neg V	39.3	38.9	100.0	84.0	90.9	86.7	89.5	92.9
Neg X	3.6	0.0	9.1	0.0	13.6	0.0	21.1	7.1
2 Aux	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IVP : Other	0.0	5.6	0.0	4.0	9.1	0.0	10.5	7.1
Postmod. clause 1	0.0	0.0	0.0	8.0	0.0	6.7	10.5	0.0
Postmod. clause 1+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Postmod. phrase 1+	<b>3.6</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Expansions</i>								
X + S:NP	14.3	27.8	54.5	32.0	22.7	20.0	31.6	42.9
X + V:VP	57.1	61.1	100.0	100.0	90.9	93.3	100.0	92.9

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
X + C:NP	14.3	16.7	36.4	8.0	18.2	0.0	0.0	0.0
X + O:NP	42.9	33.3	90.9	68.0	59.1	60.0	36.8	85.7
X + A:AP	46.4	50.0	45.5	48.0	36.4	60.0	52.6	50.0
XY + S:NP	42.9	50.0	54.5	80.0	95.5	73.3	84.2	78.6
XY + V:VP	60.7	61.1	90.9	100.0	100.0	100.0	100.0	100.0
XY + C:NP	50.0	55.6	63.6	96.0	86.4	86.7	94.7	92.9
XY + O:NP	46.4	66.7	72.7	92.0	95.5	93.3	84.2	100.0
XY + A:AP	39.3	50.0	54.5	92.0	95.5	86.7	100.0	100.0
<i>Word</i>								
-ing	42.9	50.0	81.8	72.0	95.5	66.7	94.7	92.9
pl	82.1	66.7	90.9	88.0	86.4	86.7	100.0	92.9
-ed	21.4	33.3	36.4	60.0	77.3	60.0	63.2	71.4
-en	32.1	44.4	54.5	60.0	40.9	40.0	52.6	42.9
3s	75.0	83.3	90.9	100.0	100.0	100.0	100.0	100.0
gen	14.3	5.6	0.0	4.0	13.6	0.0	15.8	7.1
n't	32.1	38.9	81.8	76.0	90.9	80.0	84.2	92.9
'cop	71.4	72.2	81.8	100.0	100.0	93.3	94.7	100.0

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
'aux	42.9	44.4	63.6	84.0	90.9	93.3	100.0	92.9
-est	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-er	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-ly	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Stage VI (+)</i>								
NP Initiator	0.0	0.0	9.1	8.0	0.0	6.7	15.8	7.1
NP Coord.	0.0	5.6	0.0	4.0	0.0	6.7	15.8	0.0
Complex VP	21.4	27.8	27.3	72.0	68.2	93.3	89.5	92.9
Passive	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0
Complement.	0.0	0.0	18.2	4.0	0.0	0.0	5.3	0.0
<i>how</i>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>what</i>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Stage VI (-)</i>								
<i>and</i>	3.6	5.6	0.0	0.0	0.0	0.0	0.0	0.0
c	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
s	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
Element $\emptyset$	46.4	50.0	81.8	48.0	50.0	66.7	47.4	21.4
Element $\Leftarrow$	0.0	0.0	0.0	8.0	4.5	0.0	0.0	0.0
Concord	7.1	5.6	9.1	8.0	4.5	6.7	5.3	7.1
D	3.6	0.0	9.1	8.0	9.1	0.0	10.5	0.0
D $\emptyset$	39.3	66.7	54.5	32.0	27.3	26.7	21.1	14.3
D $\Leftarrow$	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pr	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pr $\emptyset$	3.6	11.1	27.3	8.0	0.0	0.0	0.0	7.1
Pr $\Leftarrow$	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pron-P	10.7	33.3	0.0	12.0	13.6	13.3	5.3	7.1
Aux-M	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0
Aux-O	0.0	0.0	0.0	0.0	9.1	0.0	5.3	0.0
Aux $\emptyset$	50.0	66.7	54.5	56.0	36.4	46.7	31.6	42.9
Cop	46.4	77.8	54.5	44.0	36.4	26.7	21.1	35.7
N-irreg	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N-reg	10.7	22.2	0.0	8.0	0.0	6.7	0.0	0.0
V-irreg	0.0	16.7	9.1	4.0	4.5	0.0	0.0	7.1
V-reg	28.6	16.7	27.3	28.0	13.6	13.3	10.5	7.1
Other	10.7	22.2	36.4	32.0	22.7	13.3	31.6	21.4

	Age group (months)							
	24-26 (n = 28)	27-29 (n = 18)	30-32 (n = 11)	33-35 (n = 25)	36-38 (n = 22)	39-41 (n = 15)	42-44 (n = 19)	45-47 (n = 14)
Ambiguous	0.0	0.0	9.1	0.0	0.0	6.7	0.0	0.0
<i>Stage VII</i>								
A Connectivity	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Comment Clause	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Emphatic Order	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>it</i>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>there</i>	10.7	5.6	18.2	20.0	13.6	20.0	21.1	7.1
Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1